This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

(Previously Presented): A compound of formula I

$$\begin{array}{c|c} D & X & R^1 & R^4 \\ \hline & N & Z & E - Q - T \\ \hline & O & R^4 \end{array}$$

in which

D is phenyl which is unsubstituted or mono- or polysubstituted by Hal, Λ , OR^2 , $N(R^2)_2$, NO_2 , CN, $COOR^2$, $CON(R^2)_2$ or $-C \equiv CH$,

X denotes NR³ or O,

Y denotes O, S, NH, N-CN or N-NO₂,

R¹ denotes H, Ar, Het, or cycloalkyl,

R¹ may also be A which is optionally mono-, di- or trisubstituted by OR², SR², S(O)_mR², SO₂N(R²)₂, SO₃R², S(=O)(=NR²)R², NR²SO₂R², OSO₂R², OSO₂N(R²)₂, N(R²)₂, CN, COOR², CON(R²)₂, Ar, Het or cycloalkyl,

E denotes CH.

Z is ethylene.

Z' is ethylene,

O is absent or denotes O, NR², C=O, SO₂ or C(R²)₂

R² denotes H, A, -[C(R³)₂]_n-Ar', -[C(R³)₂]_n-Het', -[C(R³)₂]_n-cycloalkyl, -[C(R³)₂]_n-N(R³)₂ or -[C(R³)₂]_n-OR³.

R³ denotes H or A.

 R^4 , R^4 each, independently of one another, is absent or denote A, OH or OA, or R^4 and R^4 together denote methylene or ethylene,

T is cyclohexyl, piperidinyl, piperazinyl, or morpholinyl, which in each case is optionally mono-, di- or trisubstituted by =0, =S, =NH, =NR³, =NOCOR³, =NCOOR³, =NCOOR³, R³, Hal, A, -[C(R³)₂]_n-Ar, -[C(R³)₂]_n-Het, -[C(R³)₂]_n.

ĭ

- cycloalkyl, OR^3 , $N(R^3)_2$, NO_2 , CN, $COOR^3$, $CON(R^3)_2$, NR^3COA , $NR^3CON(R^3)_2$, NR^3SO_2A , COR^3 , SO_2NR^2 and/or $S(O)_0A$,
- A denotes unbranched or branched alkyl having 1-10 C atoms, in which one or two CH₂ groups may be replaced by O or S atoms and/or by -CH=CH- groups and/or also 1-7 H atoms may be replaced by F,
- Ar denotes phenyl, naphthyl or biphenyl, each of which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OR², N(R²)₂, NO₂, CN, COOR², CON(R²)₂, NR²COA, NR²SO₂A, COR², SO₂N(R²)₂, -[C(R³)₂]_n-COOR², -O-[C(R³)₂]_o-COOR², SO₃H or S(O)_nA.
- Ar' denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, Δ , OR³, N(R³)₂, NO₂, CN, COOR³, CON(R³)₂, NR³COA, NR³CON(R³)₂, NR³SO₂ Δ , COR³, SO₂N(R³)₂, S(O)_n Δ , -[C(R³)₂]_n-COOR³ or -O-[C(R³)₂]_o-COOR³,
- Het denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 4 N, O and/or S atoms, which may be unsubstituted or mono-, di- or trisubstituted by carbonyl oxygen (=O), =S, =N(R²)₂, Hal, A, -[C(R³)₂]_n-Ar, -[C(R³)₂]_n-Het',

 -[C(R³)₂]_n-cycloalkyl, -[C(R³)₂]_n-OR², -[C(R³)₂]_n-N(R³)₂, NO₂, CN, -[C(R³)₂]_n
 COOR², -[C(R³)₂]_n-CON(R²)₂, -[C(R³)₂]_n-NR²COA, NR²CON(R²)₂, -[C(R³)₂]_n
 NR²SO-A, COR², SO-N(R²)₂, and/or S(O)-A.
- Het' denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 4 N, O and/or S atoms, which may be unsubstituted or mono- or disubstituted by carbonyl oxygen, =S, =N(R³)₂, Hal, A, OR³, N(R³)₂, NO₂, CN, COOR³, CON(R³)₂, NR³COA, NR³CON(R³)₂, NR³SO₂A, COR³, SO₂N(R³)₂ and/or S(O)_nA,
- Hal denotes F, Cl, Br or I,
- m denotes 1 or 2,
- n denotes 0, 1 or 2,
- o denotes 1, 2 or 3, and
- p denotes 1, 2, 3, 4 or 5,

or a pharmaceutically usable salt thereof, or a stereoisomer thereof, including mixtures thereof in all ratios.

- (Previously Presented): A compound according to Claim 1, in which D
 denotes phenyl which is unsubstituted or mono- or disubstituted by Hal, A, OR² or COOR².
- (Previously Presented): A compound according to Claim 1, in which D
 denotes phenyl which is monosubstituted by Hal.
- 4. (Previously Presented): A compound according to Claim 1, in which \mathbb{R}^2 denotes H or A.
 - (Cancelled):
- (Previously Presented): A compound according to Claim 1, in which Q is absent or denotes O or CH₂.
- (Previously Presented): A compound according to Claim 1, in which Ar denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OR², NR²COA, SO₂A, SO₂NH₂, COOR² or CN.
- (Previously Presented): A compound according to Claim 1, according to
 Claim 1 in which Ar denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by
 Hal, A, OR³ or NR²COA.
- (Previously Presented): A compound according to Claim 1, in which R¹ denotes Ar, Het, cycloalkyl or A, which may be monosubstituted by OR².
- 10. (Previously Presented): A compound according to Claim 1, in which R¹ denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH or OA, a monocyclic aromatic heterocycle having 1 to 2 N, O and/or S atoms, or A, which may be monosubstituted by OR³.

- (Previously Presented): A compound according to Claim 1, in which Het denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 2 N, O and/or S atoms, which may be unsubstituted or mono- or disubstituted by A or carbonyl oxygen (=O).
- (Previously Presented): A compound according to Claim 1, in which Y denotes O.
- (Previously Presented): A compound according to Claim 1, in which X denotes NH or O.
 - 14. (Cancelled):
 - 15. (Cancelled):
- (Previously Presented): A compound according to Claim 1, in which A denotes unbranched or branched alkyl having 1-10 C atoms, in which 1-7 H atoms may be replaced by F.
 - 17. (Currently Amended): A compound according to Claim 1, in which
 - D denotes phenyl which is unsubstituted or mono- or disubstituted by Hal, A, OR² or COOR², or pyridyl-which is unsubstituted or monosubstituted by Hal,
 - X denotes NR³ or O,
 - Y denotes O.
 - R1 denotes Ar, Het, cycloalkyl or A, which may be monosubstituted by OR2,
 - E denotes CH.
 - Q is absent or denotes O or CH2,
 - R2 denotes H or A,
 - R³ denotes H or A.
 - R⁴, R⁴ each, independently of one another, is absent or denote A, OH or OA, or R⁴ and R⁴ together denote methylene or ethylene,

- T denotes piperidinyl, piperazinyl, or morpholinyl, which may be unsubstituted or mono- or disubstituted by A or carbonyl oxygen (=O), or unsubstituted cyclohexyl,
- A denotes unbranched or branched alkyl having 1-10 C atoms, in which 1-7 H atoms may be replaced by F,
- Ar denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A. OR², NR²COA, SO₂A, SO₂NH₂, COOR² or CN.
- Het denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 2 N, O and/or S atoms, which may be unsubstituted or mono- or disubstituted by Λ or carbonyl oxygen (=O),
- Hal denotes F, Cl, Br or I, and
- p denotes 1, 2, 3, 4 or 5.
- 18. (Previously Presented): A compound according to Claim 1, in which
- D denotes phenyl which is monosubstituted by Hal,
- X denotes NH or O,
- Y denotes O.
- R¹ denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH or OA, a monocyclic aromatic heterocycle having 1 to 2 N, O and/or S atoms, or A, which may be monosubstituted by OR³,
- E denotes CH.
- Q is absent or denotes O or CH2,
- R² denotes H or A.
- R³ denotes H or A.
- R⁴, R⁴ each, independently of one another, is absent or denote A, OH or OA, or R⁴ and R⁴ together denote methylene or ethylene,
- T denotes piperidinyl, piperazinyl, or morpholinyl, which may be unsubstituted or mono- or disubstituted by A or carbonyl oxygen (=0), or phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH, OA or NHCOA, or unsubstituted cyclohexyl.

- A denotes unbranched or branched alkyl having 1-10 C atoms, in which 1-7 H atoms may be replaced by F, and
- Hal denotes F, Cl, Br or I.
- 19. (Currently Amended): A compound according to Claim 1, in which
- D denotes phenyl which is monosubstituted by Hal,
- X denotes NH or O.
- Y denotes O.
- ${\rm R}^{\rm I}$ denotes thienyl, furyl, phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH or OA,

 - A, which may be monosubstituted by OR³,
- R³ denotes H or A,
- E denotes CH,
- O is absent or denotes O or CH₂,
- R² denotes H or A.
- R³ denotes H or A.
- R⁴, R⁴ each, independently of one another, is absent or denote A, OH or OA, or R⁴ and R⁴ together denote methylene or ethylene,
- T denotes piperidinyl, piperazinyl, 2-oxopiperidin-1-yl, 2-oxopiperidin-4-yl, 3-oxomorpholin-4-yl, morpholin-4-yl, 2,6-dioxopiperidin-1-yl, or 2-oxopiperazin-1-yl, 2,6-dioxopiperazin1-yl, which in each case is optionally monosubstituted by A, or er unsubstituted cyclohexyl,
- A denotes unbranched or branched alkyl having 1-10 C atoms, in which 1-7 H atoms may be replaced by F, and
- Hal denotes F, Cl, Br or I.
- 20. (Previously Presented): A compound according to Claim 1, in which
- D denotes phenyl which is monosubstituted by Hal,
- X denotes NH or O,

- Y denotes O.
- R¹ denotes thienyl, furyl, phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH or OA,

or

A, which may be monosubstituted by OR3,

- R³ denotes H or A.
- E denotes CH.
- Q is absent or denotes O or CH2,
- R² denotes H or A.
- R³ denotes H or A,
- R4, R4 is absent, or R4 and R4 together denote methylene or ethylene,
- T denotes piperidin-1- or 4-yl, piperazinyl, morpholin-4-yl,
 each of which is unsubstituted or monosubstituted by Λ and/or carbonyl
 oxygen (=O), or
 unsubstituted cyclohexyl,
- Λ denotes unbranched or branched alkyl having 1-10 C atoms, in which 1-7 H atoms may be replaced by F, and
- Hal denotes F. Cl. Br or I.
- 21. (Previously Presented): A compound selected from:
- (R)-1-(4-chlorophenyl)-3-[2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxo-1-phenylethyl]-urea,
- $(R)-1-(4-chlorophenyl)-3-\{2-[4-(4-ethylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1-phenylethyl\}urea bistrifluoroacetate,$
- $(R,R)-1-(4-chlorophenyl)-3-\{2-methoxy-1-[1-(1'-methyl-4,4'-bipiperidinyl-1-yl)-methanoyl]propyl\}urea trifluoroacetate,$
- (R,R)-1-(4-chlorophenyl)-3-(1-{1-[4-(4-ethylpiperazin-1-yl)piperidin-1-yl]methanoyl}-2-methoxypropyl)urea.
 - (R)-1-(2-4,4'-bipiperidinyl-1-yl-2-oxo-1-phenylethyl)-3-(4-chlorophenyl)urea,

- (R)-1-[2-4,4'-bipiperidinyl-1-yl-1-(4-hydroxyphenyl)-2-oxoethyl]-3-(4-chlorophenyl)-urea,
 - (R)-1-(2-4,4'-bipiperidinyl-1-yl-2-oxo-1-thiophen-2-ylethyl)-3-(4-chlorophenyl)urea,
- (R)-1-(4-chlorophenyl)-3-[1-(4-hydroxyphenyl)-2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxoethyllurea,
- (R)-1-(4-chlorophenyl)-3-[2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxo-1-thiophen-2-ylethyllurea.
- (R) 1 (4-chlorophenyl) 3 [1 (4-hydroxyphenyl) 2 (4-morpholin-4-ylpiperidin-1-yl) 2 (4-morpholin-4-ylpiperidin-1
- 1-[2-[1,4'] bipiperidinyl-1'-yl-1-(4-hydroxyphenyl)-2-oxoethyl]-3-(4-chlorophenyl)-urea.
- $\label{eq:continuous} (R) 1 (4 chlorophenyl) 3 [2 (4 morpholin 4 ylpiperidin 1 yl) 2 oxo 1 phenylethyl] urea.$
 - (R)-1-(2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-phenylethyl)-3-(4-chlorophenyl)urea,
- (R)-1-(4-chlorophenyl)-3-{1-(4-hydroxyphenyl)-2-[4-(4-methylpiperazin-1-yl)-piperidin-1-yl]-2-oxoethyl}urea,
- $\label{eq:condition} (R)-1-(4-chlorophenyl)-3-\{2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1-phenylethyl\}urea,$
- (R)-1-(4-chlorophenyl)-3-[2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxo-1-thiophen-2-ylethyl]urea,
 - $(R) \hbox{-} 1 \hbox{-} (2 \hbox{-} [1,4'] bip iperid in yl-1'-yl-2-oxo-1-thio phen-2-yle thyl) \hbox{-} 3 \hbox{-} (4-chlor ophen yl) urea,$
- (R)-1-(4-chlorophenyl)-3-{2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1-thiophen-2-ylethyl}urea,
- $\label{eq:condition} (R)\text{-1-(4-chlorophenyl)-3-[2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxo-1-(2-chlorophenyl)ethyl]urea,}$
- $(R) 1 (4-chlorophenyl) 3 [2 (4,4^2-bipiperidinyl-1-yl) 2-oxo-1 (2-chlorophenyl) ethyl] urea.$
- (R)-1-(4-chlorophenyl)-3-[1-(2-chlorophenyl)-2-(1'-methyl-2'-oxo-4,4'-bipiperidinyl-1-yl)-2-oxoethyllurea.
- $\label{eq:condition} (R)\text{-}1\text{-}(4\text{-}chlorophenyl)\text{-}3\text{-}[1\text{-}phenyl\text{-}2\text{-}(1\text{-}methyl\text{-}2\text{-}oxo\text{-}4,4\text{'-}bipiperidinyl\text{-}1\text{-}yl)\text{-}2\text{-}oxoethyllurea},$

- $\label{eq:condition} 2\hbox{-}(1\hbox{-methyl-4,4'-bipiperidinyl-1-yl)-2-oxo-1-phenylethyl (R)-4-chlorophenyl)-carbamate,}$
- 2-4,4'-bipiperidinyl-1-yl-1-(2-chlorophenyl)-2-oxoethyl (R)-(4-chlorophenyl)-carbamate,
 - 2-4,4'-bipiperidinyl-1-yl-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)carbamate,
- 1-(2-chlorophenyl)-2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxoethyl (R)-(4-chlorophenyl)carbamate,
- 1-(2-chlorophenyl)-2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxoethyl (R)-(4-chlorophenyl)carbamate,
- 2-[1,4']bipiperidinyl-1'-yl-1-(2-chlorophenyl)-2-oxoethyl (R)-(4-chlorophenyl)-carbamate.
- $\label{eq:continuous} 2\mbox{-}(4\mbox{-morpholin-4-ylpiperidin-1-yl)-2-oxo-1-phenylethyl} \ (R)\mbox{-}(4\mbox{-chlorophenyl})\mbox{-carbamate}.$
 - 2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)carbamate,
- 1-(2-chlorophenyl)-2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxoethyl (R)-(4-chlorophenyl)carbamate.
- $\label{eq:condition} 2\text{-}[4\text{-}(4\text{-methylpiperazin-1-yl})piperidin-1-yl]-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)carbamate,$
- $\label{lem:condition} 1-(2,3-difluor ophenyl)-2-(1'-methyl-4,4'-bip iperidinyl-1-yl)-2-oxoethyl\ (R)-(4-chlor ophenyl) carbamate,$
- $\label{lem:lemma$

and pharmaceutically usable salts and stereoisomers thereof, including mixtures thereof in all ratios.

 (Previously Presented): A process for the preparation of a compound according to Claim 1, said process comprising a) for the preparation of compounds

X denotes NH and

Y denotes O,

reacting a compound of formula II

$$H_2N$$
 N
 Z
 E
 Q
 T
 R^4
 Z
 R^4

with a compound of formula III

or

 for the preparation of compounds in which

X and Y denote O,

reacting a compound of formula IV

$$R^4$$
 $H-N$
 Z
 $E-Q-T$
 IV

with a compound of formula V

in which

X and Y denote O, and

L denotes Cl, Br, I or a free or reactively functionally modified OH group,

and/or a base or acid of formula I is converted into one of its salts.

- 23. (Cancelled):
- 24. (Cancelled):
- (Previously Presented): A pharmaceutical composition comprising a compound according to Claim 1, and one or more excipients and/or adjuvants.
- (Previously Presented): A pharmaceutical composition comprising a compound according to Claim 1, and at least one further medicament active ingredient.
 - 27. (Cancelled):
- 28. (Previously Presented): A kit comprising a first and second separate packs, said first pack containing an effective amount of a compound according to Claim 1, and said second pack containing an effective amount of a further medicament active ingredient.
 - (Cancelled):
- $30. \qquad \mbox{(Previously Presented): A compound according to claim 1, wherein Q is absent.}$

- (Previously Presented): A compound according to claim 30, wherein X is NR³ and Y is O.
- (Previously Presented): A compound according to claim 30, wherein T is piperidin-1- or 4-yl, which is unsubstituted or monosubstituted by A and/or carbonyl oxygen (=O).
- (Previously Presented): A compound according to claim 31, wherein T is piperidin-1- or 4-yl, which is unsubstituted or monosubstituted by A and/or carbonyl oxygen (=O).
- (Previously Presented): A compound according to claim 30, wherein R¹ is phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH, or OA.
- (Previously Presented): A compound according to claim 33, wherein R¹ is phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH, or OA.
- (Previously Presented): A compound according to claim 30, wherein D is phenyl which is unsubstituted or mono- or disubstituted by Hal, A, hydroxyl, methoxy, ethoxy, hydroxycarbonyl, methoxycarbonyl or ethoxycarbonyl.
- (Previously Presented): A compound according to claim 35, wherein D is phenyl which is unsubstituted or mono- or disubstituted by Hal, A, hydroxyl, methoxy, ethoxy, hydroxycarbonyl, methoxycarbonyl or ethoxycarbonyl.
- (Previously Presented): A method of treating a patient suffering from thrombosis comprising administering to said patient an effective amount of a compound according to claim 1.
 - 39. (Cancelled):

- (Previously Presented): A compound according to claim 2, wherein T is piperidin-1- or 4-yl, which is unsubstituted or monosubstituted by A and/or carbonyl oxygen (=O).
- (Previously Presented): A compound according to claim 40, wherein T is piperidinyl, 2-oxopiperidin-1-yl, or 2-oxopiperidin-4-yl, which in each case is optionally monosubstituted by A.
- (Previously Presented): A compound according to Claim 21, wherein said compound is selected from;
- $\label{eq:continuous} (R) \hbox{-} 1-(4-chlorophenyl) \hbox{-} 3-[2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxo-1-phenylethyl]-urea.$
- (R)-1-(4-chlorophenyl)-3-{2-[4-(4-ethylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1phenylethyl}urea bistrifluoroacetate,
- $\label{eq:continuity} $$(R,R)-1-(4-chlorophenyl)-3-{2-methoxy-1-[1-(1'-methyl-4,4'-bipiperidinyl-1-yl)-methanoyl]propyl}urea trifluoroacetate,$
- (R,R)-1-(4-chlorophenyl)-3-(1-{1-[4-(4-ethylpiperazin-1-yl)piperidin-1-yl]methanoyl]-2-methoxypropyl)urea bistrifluoroacetate,
- $\label{eq:condition} (R)\text{-}1\text{-}(2\text{-}4\text{-}4'\text{-}bipiperidinyl\text{-}1\text{-}yl\text{-}2\text{-}oxo\text{-}1\text{-}phenylethyl)\text{-}3\text{-}(4\text{-}chlorophenyl)urea} \ hydrochloride,$
- $(R)-1-[2-4,4^*-bipiperidinyl-1-yl-1-(4-hydroxyphenyl)-2-oxoethyl]-3-(4-chlorophenyl)-urea hydrochloride,$
- $(R)\hbox{-}1-(2-4,4'\hbox{-bipiperidinyl-1-yl-2-oxo-1-thiophen-2-ylethyl})\hbox{-}3-(4-\hbox{chlorophenyl})\hbox{ure a hydrochloride},$
- (R)-1-(4-chlorophenyl)-3-[1-(4-hydroxyphenyl)-2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxoethyl]urea trifluoroacetate,
- $\label{eq:condition} (R)-1-(4-chlorophenyl)-3-[2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxo-1-thiophen-2-ylethyl] urea trifluoroacetate,$
- (R)-1-(4-chlorophenyl)-3-[1-(4-hydroxyphenyl)-2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxoethyllurea trifluoroacetate,

- 1-[2-[1,4']bipiperidinyl-1'-yl-1-(4-hydroxyphenyl)-2-oxoethyl]-3-(4-chlorophenyl)-urea,
- (R)-1-(4-chlorophenyl)-3-[2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxo-1-phenylethyl]-urea trifluoroacetate.
- (R)-1-(2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-phenylethyl)-3-(4-chlorophenyl)urea trifluoroacetate
- (R)-1-(4-chlorophenyl)-3-{1-(4-hydroxyphenyl)-2-[4-(4-methylpiperazin-1-yl)-piperidin-1-yl]-2-oxoethyl}urea bistrifluoroacetate,
- (R)-1-(4-chlorophenyl)-3-{2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1-phenylethyl lurea bistrifluoroacetate,
- $\label{eq:continuous} \ensuremath{\text{(R)-1-(4-chlorophenyl)-3-[2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxo-1-thiophen-2-ylethyllurea trifluoroacetate,}$
- (R) 1 (2 [1,4'] bipiper idinyl 1'-yl 2-oxo 1-thiophen 2-ylethyl) 3 (4-chlorophenyl) ure a trifluoroacetate.
- (R)-1-(4-chlorophenyl)-3-{2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1-thiophen-2-ylethyl)urea bistrifluoroacetate,
- $\label{eq:condition} (R)-1-(4-chlorophenyl)-3-[2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxo-1-(2-chlorophenyl)ethyl]urea,$
- (R)-1-(4-chlorophenyl)-3-[2-(4,4'-bipiperidinyl-1-yl)-2-oxo-1-(2-chlorophenyl)ethyl]urea,
- $\label{eq:condition} (R)-1-(4-chlorophenyl)-3-[1-(2-chlorophenyl)-2-(1'-methyl-2'-oxo-4,4'-bipiperidinyl-1-yl)-2-oxoethyl]urea,$
- $\label{eq:condition} (R)-1-(4-chlorophenyl)-3-[1-phenyl-2-(1'-methyl-2'-oxo-4,4'-bipiperidinyl-1-yl)-2-oxoethyl]urea,$
- 2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxo-1-phenylethyl (R)-4-chlorophenyl)-carbamate.
- 2-4,4'-bipiperidinyl-1-yl-1-(2-chlorophenyl)-2-oxoethyl (R)-(4-chlorophenyl)-carbamate hydrochloride,
- 2-4,4'-bipiperidinyl-1-yl-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)carbamate hydrochloride,

- 1-(2-chlorophenyl)-2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxoethyl (R)-(4-chlorophenyl)carbamate trifluoroacetate,
- 1-(2-chlorophenyl)-2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxoethyl (R)-(4-chlorophenyl)carbamate trifluoroacetate.
- 2-[1,4']bipiperidinyl-1'-yl-1-(2-chlorophenyl)-2-oxoethyl (R)-(4-chlorophenyl)-carbamate trifluoroacetate.
- 2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)carbamate trifluoroacetate.
- $\hbox{$2-[1,4']$ bipiperidinyl-1'-yl-2-oxo-1-phenylethyl (R)-(4-chlorophenyl) carbamate trifluoroacetate.}$
- 1-(2-chlorophenyl)-2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxoethyl (R)-(4-chlorophenyl)carbamate bistrifluoroacetate,
- 2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)carbamate bistrifluoroacetate,
- $1-(2,3-difluor ophenyl)-2-(1'-methyl-4,4'-bipiper idinyl-1-yl)-2-oxoethyl\ (R)-(4-chlor ophenyl) carbamate.$

- 43. (Previously Presented): A compound according to Claim I, wherein T is cyclohexyl which is optionally mono-, di- or trisubstituted by =O, =S, =NH, =NR³, =NOR³, =NCOR³, =NCOOR³, =NOCOR³, R³, Hal, A, -[C(R³)2]a^-Ar, -[C(R³)2]a^-Het, -[C(R³)2]a^- cycloalkyl, OR³, N(R³)2, NO2, CN, COOR³, CON(R³)2, NR³COA, NR³CON(R³)2, NR³SO2A, COR³, SO2NR² and/or S(O) $_n$ A.
- (Previously Presented): A compound according to Claim 43, wherein T is unsubstituted cyclohexyl.
 - 45. (Previously Presented): A compound according to Claim 1, wherein T is

piperidinyl, which is optionally mono-, di- or trisubstituted by =O, =S, =NH, =NR³, =NOR³, =NCOR³, =NCOOR³, =NCOOR³, NR³, NA, Hal, A, -[C(R³)₂]_n-Ar, -[C(R³)₂]_n-Het, -[C(R³)₂]_n-cycloalkyl, OR³, N(R³)₂, NO₂, CN, COOR³, CON(R³)₂, NR³COA, NR³CON(R³)₂, NR³SO₂A, COR³, SO₂NR² and/or S(O)_mA.

- 46. (Previously Presented): A compound according to Claim 1, wherein T is piperazinyl which is optionally mono-, di- or trisubstituted by =O, =S, =NH, =NR³, =NOR³, =NCOR³, =NOCOR³, =NOCOR³, NA, Hal, A, -[C(R³)₂]_n-Ar, -[C(R³)₂]_n-Het, -[C(R³)₂]_n-cycloalkyl, OR³, N(R³)₂, NO₂, CN, COOR³, CON(R³)₂, NR³COA, NR³CON(R³)₂, NR³SO₂A, COR³, SO₂NR² and/or S(O)₂A.
- 47. (Previously Presented): A compound according to Claim 1, wherein T is morpholinyl which is optionally mono-, di- or trisubstituted by =O, =S, =NH, =NR 3 , =NOOR 3 , =NOOR 3 , =NOOR 3 , R 3 , Hal, A, -[C(R 3)2]n-Ar, -[C(R 3)2]n-Het, -[C(R 3)2]n-cycloalkyl, OR 3 , N(R 3)2, NO2, CN, COOR 3 , CON(R 3)2, NR 3 COA, NR 3 CON(R 3)2, NR 3 SO2A, COR 3 , SO2NR 2 and/or S(O)nA.